

### CGS | CGS THS

TE Internal #: 5-1879073-2

420  $\Omega$ , Wire Wound, Power Resistor, 30 x 17 x 9 mm, 2 Termination,

Loose Piece - Tray, 5 %, 10 W, ±30 ppm/°C, Solder Lug

Termination, CGS THS

View on TE.com >



Passive Components > Resistors > Chassis Mount Resistors > Power Resistor: Aluminum Housed, 75 Watt



Resistor Type: Power Resistor

Passive Component Dimensions: 30 x 17 x 9 mm

Number of Terminations: 2

Packaging Method: Loose Piece - Tray

Passive Component Tolerance: 5 %

All Power Resistor: Aluminum Housed, 75 Watt (236)

### **Features**

### **Product Type Features**

Resistor Type	Power Resistor
Element Type	Wire Wound
Configuration Features	
Number of Resistors	1
Electrical Characteristics	
Voltage Rating	160 VDC
Passive Component Tolerance	5 %
Resistance Class	Up to $1k\Omega$
Resistance Value	420 Ω
Power Rating	10 W
Termination Features	
Number of Terminations	2
Chassis Mount Resistor Termination Type	Solder Lug

Chassis Mount

**Mechanical Attachment** 

Chassis Mount Resistor Mount Style



Passive Component Dimensions	30 x 17 x 9 mm
Usage Conditions	
Temperature Coefficient	±30 ppm/°C
Packaging Features	
Packaging Method	Loose Piece - Tray

### **Product Compliance**


For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2023 (233) Candidate List Declared Against: JUL 2021 (219) Does not contain REACH SVHC
Halogen Content	Not Yet Reviewed for halogen content
Solder Process Capability	Hand solderable with lead free solder

### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# Compatible Parts





## Also in the Series | CGS THS



## Customers Also Bought











### **Documents**

**Product Drawings** 

THS10 420R 5%

English

#### **CAD Files**

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_5-1879073-2\_BA.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_5-1879073-2\_BA.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_5-1879073-2\_BA.3d\_stp.zip

420  $\Omega$ , Wire Wound, Power Resistor, 30 x 17 x 9 mm, 2 Termination, Loose Piece - Tray, 5 %, 10 W,  $\pm$ 30 ppm/°C, Solder Lug Termination, CGS THS



### English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use

### Datasheets & Catalog Pages

4-1773460-6\_RESISTIVE\_SOLUTIONS\_RAIL

English

1309350\_PASSIVE\_COMPONENT

English

Aluminium Housed Power Resistors - Type THS Series - Tyco Electronics Passives

English

8-1773459-4\_POWER\_FILTERING\_AND\_RESISTIVE\_SOLUTIONS\_FOR\_ELEVATORS\_AND\_ESCALATORS

English