



+ CONNECTORS

RECTANGULAR POWER CONNECTORS



✓ Active

TE CONNECTIVITY (TE)
04P UNIV.M-N-L.PLUG
MATE-N-LOK | Universal MATE-N-LOK

926298-3
TE Internal Number: 926298-3

- EU RoHS Compliant
- EU ELV Compliant
- Product Type Housing
- Housing Type Plug
- Connector System Wire-to-Wire
- Number of Positions 4
- Centerline (Pitch) 6.35 mm [.25 in]

↓ PRODUCT DRAWING
English

↓ 3D PDF

DOCUMENTATION

Product Drawings

UNIVERSAL MATE-N-LOK 4 WAY PLUG
PDF
English

CAD Files

3D PDF
PDF
3D

Customer View Model

2D_DXF.ZIP

English

Customer View Model

3D_IGS.ZIP

English

Customer View Model

3D_STP.ZIP

English

Product Specifications

Product Specification

Universal MATE-N-LOK Connector

PDF

English

Agency Approvals

UL Report

UMNL, UMNL BULKHEAD AND UMNL2 CONNECTORS REPORT

PDF

English

FEATURES



Please review product documents or [contact us](#) for the latest agency approval information.

Please Note: Use the Product Drawing for all design activity.

Product Type Features

Product Type Housing

Housing Type Plug

Connector System Wire-to-Wire

Connector & Contact Terminates To Wire & Cable

Configuration Features

Number of Positions 4

Number of Rows 1

Contact Layout Inline

Electrical Characteristics

Operating Voltage (VAC) 600

Contact Features

Contact Retention Without

Multiple Contact Types Without

Housing Features

Centerline (Pitch) 6.35 mm [.25 in]
UL Flammability Rating UL 94V-0
Housing Material PA 6.6

Usage Conditions

Operating Temperature Range -55 – 125 °C [-67 – 257 °F]
Sealed Condition Not Sealed

Operation/Application

Assembly Integration Feature Without

Industry Standards

Glow Wire Rating Standard Part - Not Glow Wire
Agency/Standard CSA, UL
VDE Tested Yes
CSA File Number LR7189
Agency/Standard Number E28476
UL Rating Recognized
CSA Rating Certified

Packaging Features

Packaging Method Bag
Packaging Quantity 1200

Other

For Use With Appropriate Universal MATE-N-LOK Cap or Header

PRODUCT COMPLIANCE



Statement of Compliance

Statement of Compliance
PDF